

1



## Tow bar

### fixed

The Volvo tow bar is designed tested and approved for Volvo models.

The forged towing ball is X-ray tested, and the tow hitch aligns exactly in the pre-drilled holes in the side members of the **S40, V40**.

The tow bar is supplied with all the required bolts and nuts and the installation instructions. The special heat shield must be ordered separately. The cable harness kit is not included.

#### Facts and Advantages

- Aligns exactly with the pre-drilled bolt holes in the car.
- Manufactured in high quality steel.
- X-ray tested.
- Rust-proofed.
- For trailer weights up to 1400 kg (2.0 litre, Diesel and Turbo).
- For trailer weights up to 1,200 kg (1.6 litre and 1.8 litre).
- Recommended tow ball load: 75 kg.
- Tow ball diameter: 50 mm.
- Approved to EU directive 94/20/EC.

**S40, V40**

01-

**Tow bar, fixed**

High tow bar

**30889 089-6**

For cars without fully automatic level control

Low towbar

**30889 090-4**

For cars with fully automatic level control

**+ Heat deflector**excl. Turbo, excl.  
2.0**30618 368-2**

Turbo, 2.0

Heat deflector not required for Diesel models

**30618 370-8****Safety hook****3462 178-9**

-00

**Tow bar, fixed**

High tow bar

**30862 273-7**

For cars without fully automatic level control

Low towbar

**30863 533-3**

For cars with fully automatic level control

**+ Heat deflector**

excl. Turbo

**30816 663-6**

Turbo

Heat deflector not required for D4192T2

**30857 418-5****Safety hook****3462 178-9**

## Tow bar

### detachable

A practical tow bar for those who do not tow frequently.

The tow hitch is easy to remove and to install. Unlike many other detachable tow hitches the complete mechanism is contained in the tow hitch and so protected against dirt and corrosion when it is not used. The tow hitch is stored in the luggage compartment in the thick cotton bag.

The mechanism in the tow hitch has been treated with "dracolite" for self lubrication and increases service life. The tow bar is supplied with all the required bolts and nuts, the mounting bracket for the connectors and the installation instructions. The guard is included. The special heat shield must be ordered separately.

#### Facts and Advantages

- Lockable tow hitch.
- Aligns exactly with the pre-drilled bolt holes in the car.
- The tow hitch can be easily be installed and removed without tools.
- Powder coated and phosphated.
- For trailer weights up to 1400 kg (2.0 litre, Diesel and Turbo).
- For trailer weights up to 1,200 kg (1.6 litre and 1.8 litre).
- Recommended tow ball load: 75 kg.
- Tow ball diameter: 50 mm.
- Approved to EU directive 94/20/EC.



**S40, V40, excl US, CA**

**01- Tow bar, detachable**

High towbar

**8698 905-0**

For cars without fully automatic level control

Low towbar

**8698 899-5**

For cars with fully automatic level control

**+ Heat deflector**

Excl. Turbo, excl.  
2.0

**30618 368-2**

Turbo, 2.0

**30618 370-8**

Heat deflector not required for Diesel models

**Bolt kit 00-**

**30889 730-5**

The tow hitch must be stored in the spare wheel. The bolt kit is necessary to use the "emergency spare".

A protective cover for the tow ball is supplied. This protects the tow ball when the tow hitch is not in use.

**Replacement parts**

Ball section for  
8698 905-0

**8698 907-6**

Ball section for  
8698 899-5

**8698 904-3**

Protective cover  
01-

**30889 091-2**

Lubricant for ball  
pin (10 g)

**8624 203-9**




**S40, V40, excl US, CA**

**Replacement parts**

<b>-00 Tow bar, detachable</b>		Ball section for 8698 911-8	<b>8698 913-4</b>
High towbar	<b>8698 911-8</b>	Ball section for 8698 908-4	<b>8698 910-0</b>
For cars without fully automatic level control		Protective cover	<b>30880 004-4</b>
Low towbar	<b>8698 908-4</b>	Lubricant for ball pin (10 g)	<b>8624 203-9</b>
For cars with fully automatic level control			
<b>+ Heat deflector</b>			
Excl. Turbo	<b>30816 663-6</b>		
Turbo	<b>30857 418-5</b>		
Heat deflector not required for Diesel models			
<b>Bolt kit 00-</b>	<b>30889 730-5</b>		

The tow hitch must be stored in the spare wheel. The bolt kit is necessary to use the "emergency spare".  
A protective cover for the tow ball is supplied. This protects the tow ball when the tow hitch is not in use.



<b>S40, V40, US, CA</b>		Tow ball section	<b>30889 079-7</b>
<b>Tow bar, assembly</b>		Protective cover	<b>30880 004-4</b>
01-		Lubricant for ball pin (10 g)	<b>8624 203-9</b>
	US	<b>30889 669-5</b>	
	CA	<b>30618 074-6</b>	
-00			
	US, CA	<b>30889 232-2</b>	
00-			
<b>Bolt kit</b>		<b>30889 730-5</b>	


The tow hitch must be stored in the spare wheel. The bolt kit is necessary to use the "emergency spare".

**Facts and Advantages**

Max. towing capacity: 900 kg/2000 lbs.  
1 7/8" tow ball.  
Lockable tow hitch.  
Cover included.

**Replacement parts**

Protective cover	<b>30889 091-2</b>
Protective cover	<b>30889 670-3</b>
Tow ball section	<b>30889 084-7</b>



**S40, V40** 01- FR, GB

**8670 933-4**

**+ Cable harness kit**

, see p. 9 andp.10 andp.11 andp.12.

**+ Heat deflector**

excl. Turbo

**30618 362-2**

Turbo

**30618 370-8**

Heat deflector not required for Diesel models

This tow bar has been subjected to thorough testing, both in Volvo's testing laboratories and on test tracks, and is designed for high loads and heavy trailer weights.

The towing ball is secured to the car using two M16 bolts and nuts. It is also easy to remove. The nuts must only be used once. They must be replaced the next time the ball is installed.

The tow ball is green chromed and powder coated black for the best corrosion resistance. The tow bar is supplied complete with all necessary nuts, bolts and installation instructions. A special heat shield must be ordered separately).

Approved to EU-directive 94/20/EC

**Technical data**

Max. towing capacity:	1,400 kg
2.0 litre, Diesel and Turbo	1200 kg
1.6 litre and 1.8 litre	
Tow ball diameter:	50 mm
Recommended ball load:	75 kg

**Replacement parts**

Screw kit	<b>8682 285-5</b>
-----------	-------------------

**Important**  
The M16 screws for the tow hitch may only be used once. They must then be replaced with new screws.



## Cable harness kit, 7 pin

### for tow hitch

The 7 pin connector socket can only be connected in one way which prevents incorrect connection and guarantees optimal electrical connection. In the event of damage only the 7 pin connector socket need be replaced.


The single power socket kit is intended for use as a +30 power socket from relay base 54G.

**or**

a fog lamp relay can be used on relay base 54G. The relay switches off the rear fog lamps and lights the fog lamp on the trailer.

An extra relay kit is used to retain a check function in the combined instrument panel for the trailer turn signal lamps.

Model year 00- is prepared for the installation of an additional power socket in the cargo compartment.



**S40, V40**

**Cable harness kit<sup>1</sup>**

00-	
7-pin	<b>30887 690-3</b>
-99	
7-pin	<b>30818 529-7</b>

<b>Relay kit for rear fog lamps<sup>2</sup></b>	<b>30864 346-9</b>
---	--------------------

<b>Relay kit for diagnostic test mode (DTM)<sup>3</sup></b>	
	<b>30864 347-7</b>

**turn signal lamps**

-99	
<b>Single power socket</b>	<b>30818 530-5</b>

1 Op. no. 36401  
2 Op. no 36450  
3 Op. no 37107

## Electrical cable set, 13-pin

### for towing

The 13-pin socket is used for the direction indicators, ground connection, rear fog lights, rear lights and brake lights.

The direction indicator's flashing function on the trailer must be checked. The warning lamp for this function is located on the combined instrument.

As soon as the fog lamp is switched on with the trailer hitched, an electronic control module will automatically switch off the car's rear fog lamp and instead switch on the trailer's rear lights.

The 13-pin socket conforms to the demands set out in the DIN standard 72570 and is TÜV approved.


#### **Extra power connection**

Extra feed cable for connection to the 13-pin socket.

Used for the battery charger, refrigerator, lighting or other power consumer.

The set consists of 4 cables: 1x ground connection 1x for +30, 1x for +75 and 1x for the rear lights.

The feed cables are connected via the fuses in the fuse box.



**S40, V40**

**Cable harness kit**

00-	
13-pin <sup>1</sup>	<b>30887 691-3</b>
-99	
13-pin <sup>1</sup>	<b>30818 533-9</b>

**Power supply cable**

00-	
13-pin <sup>2</sup>	<b>30889 531-7</b>
-99	
13-pin <sup>2</sup>	<b>30818 534-7</b>

1 Op. no. 36401  
2 Op. no. 36451



For temporary adaptation of the car's tow hitch wiring to another connection on the trailer

### 1. Adapter

8698 977-9

- 7-pin connector to the car
- 13-pin connector to the trailer
- Fog tail lamp

### 2. Adapter

8685 525-1

- 13-pin connector to the car
- 7-pin connector to the trailer
- Compact adapter without cable

### 3. Adapter (UK)

30864 345-1

- 13-pin connector to the car
- **Double** 7 pin terminal to the trailer

**S40, V40**

2 piece kit

**8662 530-8**

Side mirror for driving when towing wide loads, for example, caravans.

The mirror has an epoxy painted tubular frame design and is mounted between the wheel arch and the upper wing edge. It is easy to install and does not chafe the car's paintwork. The mirror is locked securely by the bonnet.

The length of protrusion is adjustable. The mirror can be folded in to pass through narrow gaps, and folds up for storage when not used.

**Technical data**

Max. protrusion: 500 mm (to the centre of the mirror)

Mirror area: 175x125 mm

Satisfies EU norms.

**Replacement parts**

Anchorage **8698 361-6**

Mirror head **9187 502-1**

## Level control

### fully automatic

Equipping your car with Volvo's fully automatic level control offers the following advantages and features:

- Comfort even with heavy loads and no risk of dazzling other road users.
- The car returns to its unladen height level automatically.
- Stabilises handling even when towing a trailer.
- Easy to install; no extra hoses or pumps.
- All functions built into the shock absorber.

#### **How does it work?**

Using the motion of the car between the axle and body it pumps the shock absorber up to the unloaded level of the car. It uses no extra motor or battery. It can do this at loads up to the car's maximum loaded weight. Each set of shock absorbers is specified for a particular car variant. This ensures maximum comfort and damping at all load levels.

Automatic level control gradually returns the car to its unloaded level after about 500-1,500 metres.



**S40, V40**

**S40 01-**

Dynamic

**30618 202-3**

**V40 01-**

Dynamic

**30618 201-5**

**S40 01-**

Comfort

**30618 204-9**

**V40 01-**

Comfort

**30618 203-1**

**S40 98-00**

Dynamic, Comfort

**30817 822-7**

**V40 98-00**

Dynamic, Comfort

**30817 823-5**

**S40 -97**

Sport chassis

**30850 974-4**

**V40 -97**

Sport chassis


**30850 975-1**

is more comfortable and safer to drive. Perfect for those who drive with a trailer or caravan.

**Important**  
**Not in combination with the lowered chassis kit.**

Irrespective of the weight of the load in your Volvo you can maintain the horizontal position through the level control. This means you do not have to adjust the headlamps and the car



**S40, V40**

01- **30805 458-4**

Only cars with Comfort spring settings

01- **30618 506-7**

Only cars with Dynamic spring settings

-00 **30805 458-4**

All spring settings

The kit consists of two progressive springs which replace the standard springs installed on the rear shock absorbers.

The springs raise the unladen rear section of the car by 15 mm

Specially designed for those who often drive with heavy loads (LPG<sup>1</sup> or caravans).

**Technical data**

Material: CrSi steel springs with rubber casing (partial).

**Important**  
**Not in combination with chassis kits.**

<sup>1</sup> Only NL

## Load carrier

### general description

A flexible load system has been developed for the roof of your Volvo. The basis of the system are the load carriers which can carry 100 kg. These are simple to install, each Volvo is prepared with mounting points in the roof. This is even easier if your vehicle is equipped with rails.

With Volvo load carriers installed you can select from a wide range of accessories, specially designed for each specific task. If you wish to carry bicycles, there are bicycle holders which carry them as safely on the roof as at the rear of the car. There are a number of solutions for carrying snowboards, skis or surfboards. All are equally elegant, and specially developed to complement your Volvo safely and attractively.

All our roof carrier accessories are designed for maximum simplicity, both when installing on the car and when loading and unloading. No tools are needed, everything needed is supplied in the kits.

Because all our different holders can be combined with each other you can use your roof very effectively. At the same time everything is safe while travelling and secure when stationary. The "One key system" means that the same key is used for all the products in the roof load program.

**S40****8633 061-0****V40****8633 062-8**

Transport system for roof loads. The load carriers consist of two heavy duty, galvanised, plastic covered steel profiles and plastic covered feet.

**Technical data**

- Max. roof load capacity: 100 kg.
- Length:
  - S40: 865 mm front, 835 mm rear.
  - V40: 865 mm front, 820 mm rear.
- The "One key system" kit can be used.


**V40**
**30805 401-4**

Styling roof rail in an elegant continental style. Aerodynamic design with minimum wind noise and wind resistance. Very easily installed, by screwing into place from the outside using the pre-installed nuts, which are hidden underneath the roof trim.

- No special tools are required.
- Up to 100 kg can be carried on the roof using the load carriers for rails (see p.22 and p.21).

**Replacement parts**

Cover, kit of four

**30883 366-4**

**V40****Load carrier with oval profile, aluminium****9499 675-6**

Load carrier for mounting on rails. Elegant designed load carrier foot with integrated concealed mounting mechanism which is also protected against theft. No loose components giving practical and simple installation. The foot is clamped on the rail using the torque wrench supplied. This is inserted in the end piece of the pipe for tightening to the given torque.

A hard-wearing, black plastic covers the foot and a rubber covered grip prevents chafe marks.

Volvo badged.

**Facts and Advantages**

Length: 108 cm

Load capacity: max. 100 kg

With oval aluminium profile.

Elegant design in aluminium and end piece in black plastic.

T-track on the upper side for safe and practical installation of Volvo's different load carrier accessories.

**Replacement parts**

Torque wrench

**8624 192-4**

## Load carrier

### for rails, square profile



#### V40

#### Load carrier with square profile

**9499 673-3**

Load carrier for mounting on rails. Elegant designed load carrier foot with integrated concealed mounting mechanism which is also protected against theft. No loose components giving practical and simple installation. The foot is clamped on the rail using the torque wrench supplied. This is inserted in the end piece of the pipe for tightening to the given torque.

A hard-wearing, black plastic covers the foot and a rubber covered grip prevents chafe marks.

Volvo badged.

#### Facts and Advantages

Length: 108 cm

Load capacity: max. 100 kg

With plastic covered square profile.

Classic design for roof transportation.

#### Replacement parts

Torque wrench

**8624 192-4**



**V40**

**8622 655-2**

Specially shaped roof protection ribs installed lengthwise on the roof. They are intended to enhance the car's appearance, and to protect the roof from scratches when carrying objects on the roof with Volvo's different roof load accessories.

Light well-distributed loads (max. 35 kg) can be loaded directly onto the ribs without causing the roof to deform.

### **Facts and Advantages**

- Seven lengthways ribs
- Easy to install (using double-sided adhesive tape)

### **Technical data**

Material:	EPDM rubber
Length:	990 mm
Width:	30 mm
Load capacity:	35 kg, well-distributed
Colour:	Anthracite grey

**S40, V40**

4 locks **9124 983-9**

8 locks **9134 605-6**

A lock system that makes it easier if you have load carriers and wish to add other accessories.

You only need one key for up to 8 locks that fit the entire range of available load carriers.

**Locking kit, 8 locks and 4 locks, for use with:**

- Load carriers S40 and V40 (not load carriers for rails).
- Ski holder/Snowboard holder.
- Bicycle rack.
- Roof boxes.



**S40, V40****8690 157-6****+ Installation kit**

For load carriers  
with T-track

**8624 355-7**

An elegant roof rack basket, manufactured in aluminium with plastic coated steel tubes, which is quick and easy to install on the car's load carrier.

Suitable for all load carriers.

We recommend that you use Volvo's load straps to secure the load.

**Facts and Advantages**

- Frame made of aluminium profiles with plastic corners.
- Lateral plastic covered steel tubes in the load area.
- Dimensions: L=1230 mm, B=710 mm.

**S40, V40****8622 614-9**

(lock included)

A holder for 6 pairs of skis or 4 snowboards.

This is a ski rack for car owners who want only the very best.  
Aerodynamically designed in aluminium.

**Facts and Advantages**

- The catches are operated using push-buttons so that they can be opened when wearing thick ski gloves.
- The height can be adjusted to prevent ski bindings from touching the car roof.
- Wide rubber profiles protect the skis and provide room for ski bags too.
- Dual locking function which locks both the skis and ski carrier onto the load carrier.
- Suitable for load carriers with either oval or rectangular profile.
- Suitable for all types of ski and snowboard.
- Includes assembly kit for T-track.

**S40, V40****Complete kit**

(Lock included)

**8682 093-3**

A further development of our traditional ski holder, for 6 pairs of skis or 4 snowboards.

There is no longer any need to clamber on to the car to load and unload your skis, ensuring that your clothes remain clean. With one simple movement, the ski carrier slides toward the side of the car to make it easier to reach your skis.

The aerodynamic design in aluminium and black rubber matches our other load carriers.

**Facts and Advantages**

- Can be pulled out 60 cm laterally.
- The catches are operated using push-buttons so that they can be opened when wearing thick ski gloves.
- Wide rubber profiles protect your skis and provide space for ski bags.
- Double lock function that locks both skis and ski holders.
- Suitable for all types of skis and snowboards.
- Mounting kits are included for:
  - square profile
  - T-track, oval profile.

**S40, V40 (lock included)**

3 pairs of skis **9204 955-0**

4 pairs of skis **9204 956-8**

For load carriers with T-track

Lockable ski carrier for installation on the Volvo load carrier, for transportation of skis or snowboards. The ski carrier for 4 pairs of skis can also be used to transport 1 pair of skis and 1 snowboard.

The combination possibilities vary depending on the car model and the load carrier.

**Facts and Advantages**

- Plastic covered metal profiles.
- Neat design with gentle shapes.
- Colour: black, Volvo badged.
- Strong, soft rubber strip which protects the skis and holds them securely in position.
- Large push-button which makes it easy to open even when wearing gloves.
- Lockable
- Supplied in pairs.
- 2 pairs of ski holders can be installed on the load carriers. Only 1 pair of ski holders can be mounted on load carriers without rails.

**S40, V40** (Lock included)

for square profile

**9441 336-6**

for T-track

**8624 196-5**

Lockable ski carrier for transporting two pairs of downhill skis.

The diagonal design raises the skis so that large bindings do not damage the roof of the car.

Easy to install.

Aerodynamic design to reduce wind noise.

The "One key system" can be installed if the same key is required for the load carrier and ski carrier.

**Technical data**

Material: Stainless steel, galvanised plate with polyester covering.

Plastic supports.

Rubber rings in EPDM.

Colour: Black

**S40, V40** (lock included)

For square profile **9441 340-8**

For T-track **8624 194-0**

Carrier for two snowboards.

Takes up little space on the roof which means that other accessories or extra snowboard/ski holders can be mounted on the load carrier.

Soft POM plastic protects the snowboard. Lockable with a cable in four different positions. Adjustable board support allows for the transportation of different sized snowboards.

Easy and secure installation on the load carrier. The "One key system" can be used; the same key for the load carrier as for the accessories.

TÜV approved (DIN 75302).

**Facts and Advantages**

Material:	PPO plastic and galvanised steel plate with board supports in soft POM plastic.
Colour:	Black/grey
Width:	155 mm

**S40, V40****8682 124-6**

The perfect carrier for transporting a canoe or kayak on the car's roof. The angle of the holders can be adjusted by a simple hand operation, which means that they can be adapted to suit a number of different types of hull.

Straps and clasps supplied

**Facts and Advantages**

- Made from black painted steel.
- Rubber lined to minimize the risk of chafing
- Sold in pairs
- Suit both square profiles and T-tracks.

**Replacement parts**

Installation kit

**8685 938-6**

**S40, V40****For load carriers with T-track****8690 163-4****For load carriers with square profile****8690 160-0**

Universal carrier that fits most type of boards and mast diameters.

A complete kit consists of retaining straps, cushioned rubber mouldings (T-track) or strong vinyl pads (square profile) and four mast holders. The mast holders have retaining straps that hold both parts of the mast securely in place.





**S40, V40** (lock included)

**9192 484-5**

For load carriers with T-track

Divided wheel rail, with pre-mounted frame holder arm and wheel holder. There is room for three bicycles on the roof.

Adjustable wheelholder, tyre widths from 1 1/4" - 2 3/16".

Frame holder for both round and oval frames. Ø 22 mm - 51 mm.

Can be mounted on the right and left-hand side. The "One-Key-System" can be used.

TÜV approved.

Length: 1,470 mm

Width: 220 mm

**S40, V40**

(lock included)

**8622 611-5**

The bicycle rack for car owners who insist on the very best.

Made from aluminium, its principal elements are a robust rail and strong stays. Makes it very easy to load and carry a bicycle thanks to a completely new type of self-adjusting frame holder which is used with a simple handle.

**Facts and Advantages**

- Self-adjusting frame holder for frames of up to 80 mm thick.
- The frame holder is adjusted and locked at convenient car roof height. The frame holder has protective rubber cladding.
- Adjustable, quick-fit wheel holders for a variety of wheel dimensions.
- Easy to change over from right-hand to left-hand mounting.
- Dual locking function which locks the cycle onto both the rail and the load carrier. The holder is secured to the car even when not transporting a bicycle.
- Suitable for load carriers with either oval or square profiles.
- Includes assembly kit for T-track.

**S40, V40**

(lock included)

**8622 617-2**For load carriers  
with T-track**8624 353-2**

Fork mounting is a very stable way of carrying bicycles, with no risk of swaying or rattling.

The bicycle rack has a forward holder with a quick-fit mount, making it easy to secure your bicycles. Two handles makes the quick-fit mount quick to adjust for any type of fork. At least two holders can be installed; more can be installed depending on the type of car and bicycle.

Supplement to the above bicycle holder. The cycle holder can be mounted anywhere on the load carrier. It can be folded down when not in use.

**Technical data**

- Width: 190 mm

**Facts and Advantages**

- A quick-fit mounting to which the front fork is secured and locked using two simple handles.
- Adjustable, quick-fit wheel holders for a variety of wheel dimensions.
- Dual locking function which locks the cycle onto both the rail and the load carrier. The holder is secured to the car even when not transporting a bicycle.
- Suitable for load carriers with either oval or square profiles.
- Includes assembly kit for T-track.
- Width: 135 mm.

**Wheel holders** for separate wheels**9134 945-6****+ Installation kit**



**S40, V40**

**Base unit**

**8698 601-5**

**Bicycle mounting**

**8698 604-9**

**Installation kit, Square profile**

**8698 610-6**

For load carriers with T-track

A cycle holder which secures to the load carrier on the car.

A gas strut means that the cycle can be lifted easily and without effort.

No lighting rack or tow hitch is required, the perfect solution to transporting a bicycle on a car.

#### **Facts and Advantages**

- Patented. TÜV tested and approved.
- Made of aluminium with mountings of durable plastic.
- Adjustable for most types of cycles, children's bicycles, mountain bikes or racing cycles.
- Two bicycle holders can be mounted on the roof at the same time.
- Material: Aluminium, steel and plastic.

**S40, V40**

LHD

incl. 7-pin wiring

**8622 938-2**

incl. 13-pin wiring

**8622 929-1**

RHD

incl. 13-pin wiring

**8698 533-0**

+ Adapter to 7-pin

**Technical data**

Material: Steel

Weight: 16.5 kg

Dimensions: W = 1332 mm  
L = 588 mm  
H = 900 mm

Lockable: Bicycle holder and bicycles

Load capacity: 2 bicycles, 30 kg

Approval: EEC, TÜV

Other approval: All markets.

Suitable for all Volvo tow hitches.

A transport system for two bicycles which is extremely practical and easy to use if the car is equipped with a tow hitch. Easy to install on the towing ball with a quick-release coupling. The loading height is low making it easy to load.

The bicycles are kept securely in place with adjustable and lockable tensioning arms in the frame and tensioning straps around the wheels.

Tiltable, so the bicycle holder can conveniently be lowered to permit access to the luggage compartment.

Equipped with tail-light bar and socket for a 7-pin or 13-pin connector on the tow bar and a number plate holder.

May also be combined with a holder for an additional bicycle, seep. 38p. 38.

**S40, V40****Bicycle carrier. extra bicycle****8622 939-0****+ Bicycle carrier, tow hitch mounted** , seep.37.

This accessory enables you to transport an additional bicycle on your tow hitch mounted bicycle holder. Your bicycles are held securely in place by adjustable, locking tensioning arms in the frame and straps around the wheels.

The carrier can also be easily mounted on earlier versions of Volvo's tow hitch mounted bicycle holders.

It is easy to install using two bolts, and is equally easy to remove when not in use.

**Facts and Advantages**

Weight:	3 kg
Approval:	EEC, TÜV



**Sport time 20** **8698 510-8**

**Sport time 50** **8698 514-0**

Vacuum formed durable ABS plastic, UV resistant and weatherproof. Silver grey upper part, dark grey lower section. Centrally locked with three locking points. The One-Key-System can be used. A spring holds the cover up.

A strap for securing loads is supplied.

Opens from the right-hand side.

The boxes are manufactured from vacuum formed ABS plastic. As a result they are incredibly light. This gives the advantage of increased load capacity, although they are not as rigid as heavy glass fibre reinforced boxes. However they are extremely durable and satisfy all requirements.

Suitable for all Volvo load carriers.

No installation kit required.

TÜV approved.

#### Facts and Advantages

	<b>Sport time 20</b>	<b>Sport time 50</b>
Length:	1,750 mm	2,250 mm
Width:	820 mm	550 mm
Height:	450 mm	380 mm
Volume:	450 litres	310 litres
Weight:	14 kg	12 kg
Load capacity:	max. 50 kg	max. 50 kg



**S40, V40**

**"Experience"**

**8698 516-5**

Ski holder, insert

**30664 163-0**

Experience is a space box designed for a tougher look. It is a modern box ideal for skis and snowboards. The "dual opening" system allows it to be opened from both sides.

The space box has an adjustable quick release mounting system which facilitates fitting and removal. Suitable for all Volvo load carriers.

The space box is Volvo badged in the form of an emblem on each side.

The boxes are manufactured from vacuum formed ABS plastic. As a result they are incredibly light. This gives the advantage of increased load capacity, although they are not as rigid as heavy glass fibre reinforced boxes. However they are extremely durable and satisfy all requirements.

**Technical data**

Colour:	Silver
Length:	1900 mm (external)
Width:	900 mm (external)
Height:	370 mm (external)
Volume:	450 litres
Weight:	23 kg
Load capacity:	75 kg
Material:	ABS
Lock:	Included

The "One key system" lock kit can be used.  
TÜV approved.





S40, V40

"Dynamic 65"	8698 131-3
"Dynamic 85"	
Brushed Aluminium	8698 138-8
Anthracite grey	8698 134-7

A space box with an elegant, aerodynamic design resulting in lower wind resistance and wind noise than traditional roof boxes.

These space boxes have a factory-fitted snap-on attachment system which can be adjusted, thereby facilitating fitting and removal.

Suitable for all Volvo load carriers.

Can be opened from both sides, thanks to the "dual-opening" system, and features an opening handle which can be locked.

Inside, the boxes are equipped with flexible holders for skis or snowboards.

These holders can be easily removed should you wish to use the space for other luggage.

The boxes are manufactured from vacuum formed ABS plastic. As a result they are incredibly light. This gives the advantage of increased load capacity, although they are not as rigid as heavy glass fibre reinforced boxes. However they are extremely durable and satisfy all requirements.

These space boxes are Volvo badged in the form of an emblem on each side.

Technical data

	"Dynamic 65"	"Dynamic 85"
Length:	2,280 mm	2,290 mm
Width:	650 mm	850 mm
Height:	350 mm	380 mm
Volume:	405 litres	510 litres
Weight:	18 kg	22 kg
Load capacity:	75 kg (6-7 pairs of skis)	75 kg (7-9 pairs of skis)
Lock:	Included	Included

Material: 5 mm durable ABS plastic, UV resistant and weatherproof.

The "One key system" lock kit can be used.

TÜV approved.

Suitable for all Volvo load carriers. No installation kit required.

**Important**  
The tailgate cannot be opened completely on cars with rails. The tailgate hits the space box with the risk of scratches / damage as a result.



**S40, V40**

(lock included)

**8698 140-4**

**+ Distance**

only for cars  
without rails

**9481 679-0**

Short space box. A very practical and handy extra luggage carrier for leisure activities etc.

The boxes are manufactured from vacuum formed ABS plastic. As a result they are incredibly light. This gives the advantage of increased load capacity, although they are not as rigid as heavy glass fibre reinforced boxes. However they are extremely durable and satisfy all requirements.

Suitable for all Volvo roof rails

**Facts and Advantages**

- Can be opened from either side; "Dual opening system"
- Lockable. The "One key system" can also be used.
- Equipped with two luggage retention straps.
- Aerodynamic design.
- Volvo badge on the long sides.
- Fixed to the Volvo load carriers by screw brackets.
- Technically approved to satisfy TÜV/GS DIN 75302.

**Technical data**

Material:	Vacuum formed ABS plastic, UV resistant.
Colour:	Anthracite grey
Length:	1,750 mm (external)
Width:	820 mm (external)
Height:	365 mm (external)
Volume:	370 l
Weight:	15 kg
Load capacity:	max. 50 kg

**Important**

The space box can be used with the roof antenna and roof spoiler. However the antenna must be bent and care must be taken when opening the tailgate.

**V40 98-****30618 525-7**

Prevents baggage and cargo from being thrown forward under hard braking.

Collision tested to Volvo's strength requirements, approximately 325 kg. Square pattern safety net made of nylon. Easy to remove.

The upper and lower rods are detachable so that the safety net can be folded and stored in front of the spare wheel if necessary.

**Important**  
Can be combined with parcel shelf.

**V40****30618 533-1**

If the cargo compartment safety grille is to be installed with the parcel shelf/cargo compartment cover an extra installation kit is necessary.

**Installation kit****30887 089-8**

For cars with parcel shelf/cargo compartment cover.

Prevents baggage and cargo from being thrown forward under hard braking.

Collision tested to Volvo's strength requirements, approximately 325 kg.

A net design made of steel for installation behind the back seat.

Easy to remove.

## Load retention strap

for roof loads

Op. no. 89991



### **S40, V40 (kit/2 straps)**

1.5 m

**9499 237-7**

3.5 m

**9499 238-5**

Set of load retention straps for easy and secure fastening of roof loads. Two different strap lengths to suit the size of the roof load: short, high, long and wide loads.

### **Facts and Advantages**

- The kit contains two straps.
- Volvo badges with a label.

### **Technical data**

Material:	Polypropylene
Length:	1.5 or 3.5 m
Strap width:	25 mm
Quick release buckle:	Black chromed
Tensile strength:	350 kg
Colour:	Blue
Packaging:	Pin pack (for shop display)

**S40, V40**Ch  
713491- Grey**9192 993-5****+ Load securing eyelets****(V40)****30623 984-9**

A practical fabric net which prevents loads from moving about in the cargo compartment. The net is elasticated making it easy to stow luggage underneath it.

Installed flat on the cargo compartment floor and equipped with securing hooks which are hooked into eyelets.



**S40, V40**

Ch 713491-

### Load lashing strap (2)

**1129 004-6**

The load lashing strap holds the load in the luggage compartment securely in place. It is 7 meters long and has hooks that can be secured in the eyelets in the car's luggage compartment. The tensile strength of the strap is 600 kg.

### Mounting kit (3)

**9192 610-5**

The load securing system in the cargo compartment of the S40 has gone out of production, and is replaced by four load securing eyelets.

The above kit is required to anchor the Volvo Cool / Hotbox securely.

## Cargo space divider

longitudinal

Op. no. 88052



V40

8641 200-4

+ **Protective grille** , seep.44.

A very practical accessory for the dog owner.

The grille makes it possible to transport a dog separated from baggage and the passenger compartment. Also very useful for separating the cargo area for dirty or fragile loads.

The cargo space divider is installed with the protective grille.

### Facts and Advantages

- Installed with the protective grille.
- Made of 13 mm and 8.5 mm steel tubing.
- Epoxy painted with grey paint.
- Same design as the protective grille.
- Collapse function, which means that the cargo space divider is collision tested and cannot penetrate the passenger compartment.



**S40**

Platina/Light Grey

**30623 868-4****V40**

Platina/Light Grey

**30623 986-4**

Off-black/Dark Grey

**30623 975-7**

Oak

**30623 976-5**

Practical safety mat in polypropylene plastic.

Shaped for the cargo compartments in the S40 and V40.

Protects the car's original carpets from dirt, damp and wear. The raised edges make it easier to keep the mat clean and effectively prevent dirt and water from getting under the mat.

**Facts and Advantages**

- Easy to remove and install and therefore easy to keep clean.
- Perfect fit.
- Made of polypropylene plastic, coated with non-slip TPE/SBR.
- Meets Volvo's high specification for fire safety and resistance to oil and petrol.

**Please refer to the back of the catalogue, for coordination between interior codes and colours.**

**V40**

Grey


**8641 197-2**

A moulded load box made of ABS plastic which protects the standard mat in the cargo compartment.

Easy to clean.

Especially appropriate for those transporting heavy or dirty loads.

The kit includes an anti-slip mat which is placed inside the load box. This reduces the risk of the loads sliding around.



**S40, V40**

**30865 216-3**

A storage box which can be placed in front of the spare wheel.  
This box prevents the contents from being scattered around  
the "spare wheel well".

Supplied flat packed and easily folded into this practical box.

The box is made from PP material.

## Storage box

in the spare wheel

Op. no. 89991



**S40, V40 98-**

**30863 729-7**

A practical storage box which is placed in the 15" spare wheel. The storage box can be used to store smaller components such as bulbs, gloves, small tools etc. in order and to prevent them from rattling around.

The storage box is made from PU covered polyester.

If the spare wheel is lying rim upwards it must be turned and supplemented with kit 30889 730-5.

### **Important**

**Cannot be used in combination with a fuel can or detachable tow bar (the spare wheel is occupied).**

## Dirt cover

rear bumper

Op. no. 84232



**S40**

**30851 064-3**

**V40**

**30854 917-9**

A practical cover for the rear bumper which prevents clothes from getting dirty and protects the bumper when loading and unloading.

- Easy to install on the tailgate sill.
- Made of impregnated fabric.

## Bag holder

cargo compartment

Op. no. 88261



**S40**

**9166 746-9**

A hanging system for carrier and shopping bags in the cargo compartment. Prevents the bags from falling over and spilling. Consists of an aluminum rail with 5 plastic hooks which is installed under the parcel shelf in the cargo compartment.

The bags are hooked on by their handles and are securely anchored. Very simple to install and remove the bags. The hooks slide in the rail and can be pushed to one side if all the space in the cargo compartment is required. Easy to install under the parcel shelf in the existing holes using the twist brackets on the rail.

Max. weight/hook: 8 kg (total 40 kg) to meet collision safety requirements.



### **S40**

**9184 482-9**

Separate versatile bag, used mainly in combination with Volvo's various cargo compartment bag holders.

Useful to have at hand when shopping.

Manufactured in robust cotton in a environmentally friendly natural colour.

Volvo branded with a label on the inside by the handle; can be washed at 40°C.

## Folding basket

Allroundbox

Op. no. 89991



**S40, V40**

**1128 721-6**

A practical and simple basket that makes it easy to keep track of small items in the cargo area.

The basket is easy to fold up and requires little space.

Made of polypropylene.

520 x 360 x 250 mm.



## Business bag

as an organiser

Op. no. 89991



**S40, V40**

Black

**9499 577-6**

The Volvo Business Bag has now been further improved so it can also be used as an organiser in the car.

The bag can be attached to the backrest in either the front or rear seats and can be opened so that compartments, etc can be used. An excellent way to keep track of small items as well as being easily accessible. If you use your car as an office, the organiser can be combined with the PC table. It is practical for storing documents, diskettes, maps, etc.

The seat belt should be used to secure the bag safely.

The improvement has been made to the black version of the business bag.

## Volvo's bag program

### VOLVO LIFE



#### S40, V40

We offer a broad range of different bags for different needs, both leisure and work.

The uniquely designed bags are available in three colours: black, red or Volvo blue.

The bags are manufactured in comfortable, strong and water-proof woven polyester. The Volvo name is discreetly displayed on the easy-grip zipper tags.

The bags are PVC-free. All the matt aluminium-look metal fittings are cadmium-free.

Reinforcements are in PP, ABS and leather for excellent durability and protection against rough handling.

Reinforced and comfortable handgrips and shoulder straps.

Most bags are fitted with non-slip nylon studs underneath, to add stability, protect the bottom against wear and keep the bag above wet surfaces.

Most of the larger bags feature a practical mesh pocket and hooks. These make it easier to find and keep track of keys and other small items.

The luggage is dimensioned to make the best possible use of the space in the luggage compartments of Volvo cars.

Extensive testing has been carried out to ensure the best possible quality; resistance to fire, wear and UV-radiation (fading), colour-fastness, as well as loading tests on handgrips and shoulder straps.

The bags are easy to wipe clean using soap and water.

# Volvo's bag program

## general description

### 1. BUSINESSBAG/ORGANIZER (420 X 110 X 310 mm)

- Can be used as an organizer, see p. 57.
- Large-capacity padded pocket, suitable for most portable PCs on the market.
- Double straps to hold the PC in place.
- The PC pocket has a removable and adjustable partition to divide the compartment in two.
- There are many practical compartments, for example there is a mesh pocket for pens, diskettes, CD-ROMs etc.
- Separate divided folder and document pocket.
- Two external pockets.
- Double fabric flaps for increased protection of the contents.
- Practical fast-action locks.
- Removable, padded and easily adjusted shoulder strap.
- User-friendly, foldaway handgrips.
- Hook, suitable for fastening travel wallets.
- Studs.

### 2. CABIN BAG (450 x 280 x 240 mm)

- Meets airline specifications for hand baggage size.
- Lots of zipped pockets.
- Removable, padded and easily adjusted shoulder strap.
- Separate user-friendly handgrip.
- Hook, suitable for fastening travel wallets.
- Studs.

### 3. TRAVEL WARDROBE (570 x 130 x 570 mm)

- Three large, practical outer pockets.
- Two large, internal mesh-pockets.
- Two larger, internal plastic pockets.
- Wardrobe pocket with extension to accommodate dresses for example.
- A belt to secure clothes.
- Two hangers.
- Practical, removable S-hook hanger in an easily-accessible inner pocket.
- Removable, padded and easily adjusted shoulder strap.
- Separate user-friendly handgrip.
- Internal mesh pocket and hook.
- Studs.

### 4. TRAVEL BAG (790 x 300 x 340 mm)

- Large-capacity bag.
- Removable, padded and easily adjusted shoulder strap.
- User-friendly double handgrips.
- Practical lifting handle for loading and unloading.
- Fits under Volvo's apron moulding.
- Internal mesh pocket and hook.

### 5. CITY BAG (500 x 250 x 300 mm)

- Practical smaller bag.
- Removable and easily adjusted shoulder strap.
- Separate user-friendly handgrip.
- One external pocket.
- Internal mesh pocket and hook.
- Studs.

### 6. TRAVEL WALLET (235 x 120 mm)

- Lined with nappa.
- Separate passport pocket.
- Business and credit card pockets.
- Separate ticket pocket.
- Internal zipped pocket for currency etc.
- Volvo emblem on the inside (instead of on the zipper tag).

- Small metal ring for fastening to the hooks in the other bags in the range.
- (The bag is not shown in the illustration.)

### 7. TOILET BAG, SMALL (250 x 100 x 150 mm)

- Traditional toilet bag.
- Two internal, longitudinally divided compartments.
- Internal mesh pocket.
- Handgrip.
- (The bag is not shown in the illustration.)

### 8. TOILET BAG, LARGE (260 x 100 x 150 mm)

- Unfolds.
- Velcro fastening.
- Four compartments, of which one is mesh.
- Hanging loop.

### 9. SPORT BAG (540 x 310 x 340 mm)

- One large centre compartment with two large end pockets.
- One small external pocket.
- Removable, padded and easily adjusted shoulder strap.
- Easy-to-operate, single-grip double zip.
- Double handgrips.
- Suited to Volvo's luggage compartments.
- Internal mesh pocket and hook.
- Studs.

### 10. SAILING BAG (350 x 250 x 780 mm)

- May be carried as a kit bag or rucksack.
- External zip for easy access to the whole bag.
- Practical lifting-handle for loading and unloading.
- Snow-lock fastener.
- Easy to seal with cord and slide lock.
- Small outer pocket.
- Internal mesh pocket and hook.
- Studs.

### 11. SKI BOOT BAG (400 x 200 x 420 mm)

- Traditional multi-function bag.
- External zipped pocket.
- External mesh pocket.
- Removable, padded and easily adjusted shoulder strap.
- Double handgrips.
- Easy to stow away.
- Internal mesh pocket and hook.
- Studs.
- (The bag is not shown in the illustration.)

## All markets excl. USA and Canada

	Variants	Measures	Part No.		
			Black	Blue	Red
1.	Business bag	420x110x310mm	-	9481 312-8	9481 313-6
1b.	Organizer	420x110x310mm	9499 577-6	-	-
2.	Cabin bag	450x280x240mm	9481 314-4	9481 315-1	9481 316-9
3.	Travel wardrobe	570x130x570mm	9481 317-7	9481 318-5	9481 319-3
4.	Travel bag	790x300x340mm	9481 335-9	9481 336-7	9481 337-5
5.	City bag	500x250x300mm	9481 326-8	9481 327-6	9481 328-4
6.	Travel wallet	235x120mm	9481 338-3	-	-
7.	Toilet bag, small	250x100x150mm	9481 329-2	9481 330-0	9481 331-8
8.	Toilet bag, large	260x100x150mm	9481 332-6	9481 333-4	9481 334-2
9.	Sport bag	540x310x340mm	9481 378-9	9481 379-7	9481 380-5
10.	Sailing bag	350x250x780mm	9481 320-1	9481 321-9	9481 322-7
11.	Ski-boot bag	400x200x420mm	9481 323-5	9481 324-3	9481 325-0

## USA and Canada

	Variants	Measures	Part No.		
			Black	Blue	Red
1.	Busienss bag	420x110x 310 mm	-	9481 401-9	9481 402-7
1b.	Organizer	420x110x 310 mm	9499 577-6	-	-
2.	Cabin bag	450x280x 240 mm	9481 403-5	9481 404-3	9481 405-0
3.	Travel wardrobe	570x130x 570 mm	9481 406-8	9481 407-6	9481 408-4
4.	Travel bag	790x300x 340 mm	9481 424-1	9481 425-8	9481 426-6
5.	City bag	500x250x 300 mm	9481 415-9	9481 416-7	9481 417-5
6.	Travel wallet	235x120 mm	9481 427-4	-	-
7.	Toilet bag, small	250x100x 150 mm	9481 418-3	9481 419-1	9481 420-9
8.	Toilet bag, large	260x100x 150 mm	9481 421-7	9481 422-5	9481 423-3
9.	Sport bag	540x310x 340 mm	9481 456-3	9481 457-1	9481 458-9
10.	Sailing bag	350x250x 780 mm	9481 409-2	9481 410-0	9481 411-8
11.	Ski-boot bag	400x200x 420 mm	9481 412-6	9481 413-4	9481 414-2