



Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

Instruction No	Version	Part. No.
32207531	1.1	39792495, 39791343, 39791341, 39791339, 39791337, 39792501, 39791335, 39792499, 39791333, 39791331, 39791329, 39791327, 39791325, 39791323

Spoiler, boot lid

Equipment		
 IMG-345497	 IMG-239664	 IMG-239667
Nm lbf.ft		



IMG-440226

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

Information

1

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

Color symbols

2



IMG-363036

Note!

This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

1. Used for focused component, the component with which you will do something.
2. Used as extra colors when you need to show or differentiate additional parts.
3. Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
4. Used when the component is not fully removed from the vehicle but only hung to the side.
5. Used for standard tools and special tools.
6. Used as background color for vehicle components.


Removal

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

3

Open the tailgate.



IMG-435728

4

Remove the part carefully
Repeat on the other side.




IMG-438702

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

5




IMG-438701

Remove the screw.

Repeat on the other side.

6



IMG-438645


Remove the marked part.

Repeat on the other side.

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden


7



IMG-438650

1. Release the lock.
2. Undo the hose from the connection.

8




IMG-438665

Disconnect the connectors.

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

9




IMG-438670

Remove the screw.

Tightening torque: M6 , 10 Nm

Disconnect the connector.

10



IMG-438675


Remove the nuts.

Tightening torque: Nut spoiler rear , 4 Nm


Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

11




Remove the screws.



IMG-438680

12




Close the tailgate

IMG-438681

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

13




IMG-438695

Note!
Orientation view

Note!
The graphic shows the back of the component before removal.

14



IMG-438685

Caution!
Make sure not to damage painted surfaces.


Request the aid of a colleague for this procedure.
Loosen the component indicated. Do not remove it.

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

15

1. Loosen the marked details.
2. Remove the marked part.




IMG-438690

Accessory installation

16

Caution!
Make sure that the rubber grommet seals properly to the body.




IMG-438700

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

17



Caution!

Make sure not to damage painted surfaces.

Request the aid of a colleague for this procedure.

1. Install the marked components.
2. Install the marked component.

18

Reinstall the removed parts in reverse order.