Volvo Car Corporation Gothenburg, Sweden


Instruction No 31428169

Version 1.0

Part. No. 31652852, 30659759

Alarm, movement sensor





IMG-395630

Volvo Car Corporation Gothenburg, Sweden

Information

1

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

Color symbols

2



Note!


This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

- Used for focused component, the component with which you will do something.
- 2. Used as extra colors when you need to show or differentiate additional parts.
- Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4. Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6. Used as background color for vehicle components.

IMG-363036

Removal

Volvo Car Corporation Gothenburg, Sweden




Remove the part carefully

The part is to be reused.


4

Disconnect the connector.



Accessory installation

Volvo Car Corporation Gothenburg, Sweden



Install component that comes with the accessory kit.

Installation



Note!

Orientation view


Locate the pre-routed connector.


IMG-402558

Volvo Car Corporation Gothenburg, Sweden

7

Connect the connectors.






9

Reinstall the removed parts in reverse order.

Volvo Car Corporation Gothenburg, Sweden



Download software (application) for the accessory's function according to the service information in VIDA.