


Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

Instruction No	Version	Part. No.
31659035	1.1	31659034

Child seat, isofix mounting, front


Equipment



IMG-345497




IMG-239664



IMG-240693

Nm
lbf.ft



IMG-456312

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

Information

1

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

Color symbols

2



IMG-400010

Note!

This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

1. Used for focused component, the component with which you will do something.
 2. Used as extra colors when you need to show or differentiate additional parts.
 3. Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
 4. Used when the component is not fully removed from the vehicle but only hung to the side.
 5. Used for standard tools and special tools.
 6. Used as background color for vehicle components.
 7. Used for accessory components.
-

Installation instructions, accessories


Volvo Car Corporation Gothenburg, Sweden

3



IMG-442591

4




IMG-442682

Remove the panel.

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

5



IMG-442683

Remove the screw.

The item is not to be reused.

Loosen the marked detail.

6




IMG-443427

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

7



IMG-443407

Remove the screws.

Tightening torque: Front seat to body , 40 Nm

8




IMG-442590

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

9




IMG-443405

Remove the screws.

Tightening torque: Front seat to body , 40 Nm

10




IMG-442779

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

11



IMG-442785

Disconnect the connector.

Unhook the cable harness clips.

12



IMG-442786


Caution!

Be extra careful when removing or installing this component.

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

13




IMG-447992

Remove the clip.

Repeat on the other side.

14



IMG-443434


Remove the panel.

Repeat on the other side.

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

15




IMG-443457

Remove the panel.

Applies to vehicles with chassis number until 58012

16



IMG-447993

Remove the marked part.

The item is to be reused.


All vehicles

Accessory installation

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

17




IMG-443285

Remove part of component according to image.

Use: Air-powered air saw

Even out the edges using a knife or file.

18



IMG-443476

Remove part of component according to image.


Use: Air-powered air saw

Even out the edges using a knife or file.

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden


19



IMG-456313

Install component that comes with the accessory kit.

20



IMG-456314

Install components that come with the accessory kit.

Repeat on the other side.

Tightening torque: Isofix mounting to front seat , 6 Nm


Installation

Applies to vehicles with chassis number until 58012

Installation instructions, accessories

Volvo Car Corporation Gothenburg, Sweden

21



IMG-448070


Reinstall the removed part.

All vehicles

22

Reinstall the removed parts in reverse order.

23



IMG-448560

Reinstall the removed part.

Install component that comes with the accessory kit.

Tightening torque: Seat belt bracket, to Seat , 40 Nm