Volvo Car Corporation Gothenburg, Sweden

Instruction No 31373535 Version 1.1 Part. No. 31373534


End pipes, double



IMG-376740




Volvo Car Corporation Gothenburg, Sweden



IMG-376906

Volvo Car Corporation Gothenburg, Sweden


	Information
1	Read through all of the instructions before starting installation.
	Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.
	Ensure that all tools stated in the instructions are available before starting installation.
	Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.
	In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.
	Further information
2	When installing, the car must retain a temperature of 20 degrees C.
3	There may be parts in the accessories kit that are not needed for this installation.
	Vehicles with integrated Exhaust End Pipes
	Removal



Remove the screws.

Remove the clips.

Volvo Car Corporation Gothenburg, Sweden




Detach the panel.

On both sides.

Use: Interior trim remover

Vehicles with parking assistance




Note!

The graphic shows the back of the component before removal.

The part is to be reused.


All vehicles

Volvo Car Corporation Gothenburg, Sweden



Remove the panel.

IMG-375009




Remove the screws.

On both sides.

Remove the part carefully


Accessory installation

Volvo Car Corporation Gothenburg, Sweden



Install component that comes with the accessory kit.

On both sides.



Install the screws.

On both sides.

11

Reinstall the removed parts in reverse order.

Applies to vehicles with double end pipe

Volvo Car Corporation Gothenburg, Sweden


IMG-376764

12

Note!
The end pipes must be installed together with the diffuser.

Install component that comes with the accessory kit.

On both sides.




Install the screws.

On both sides.

Applies to vehicles with single end pipe


Volvo Car Corporation Gothenburg, Sweden



Note!
The end pipes must be installed together with the diffuser.

Install component that comes with the accessory kit.

On both sides.



Install the screws.

On both sides.