
Volvo Car Corporation Gothenburg, Sweden

Instruction No 30672932

Version 1.3


Part. No. 31359668, 31359450, 30672931

Satellite radio



Equipment Nm IMG-239664 lbf.ft A0000162 IMG-242205

Volvo Car Corporation Gothenburg, Sweden



IMG-261924

Volvo Car Corporation Gothenburg, Sweden

Any comments on this publication? Please contact your nearest retailer. Thank You!				
Publ.no:		Issue:	Kit no:	
Comments:				
From:				
Address:				
Telephone:				
Telefax:				

IMG-213320

Volvo Car Corporation Gothenburg, Sweden

INTRODUCTION

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.

Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.


Note!

Some steps in these installation instructions are presented with illustration only.

Note!

On cars with a subwoofer, a fibre optic adapter cable is required to be able to connect the satellite receiver.

1




IMG-245980

Volvo Car Corporation Gothenburg, Sweden

2

IMG-261926



Fold up the luggage compartment floor.

Pull it from the mountings at the front edge.

Pull out the luggage compartment floor and the storage box slightly to access the area behind the backrest.

Note!

Note the luggage compartment floor's gas strut.




Steps 3-6 apply to cars with subwoofer

Remove the rear plastic nuts for the subwoofer.


Fold the backrest forward.

Volvo Car Corporation Gothenburg, Sweden




Disconnect the connectors from the subwoofer.

Remove the screw from the right-hand mounting.




Remove the screw from the left-hand mounting.

Volvo Car Corporation Gothenburg, Sweden



Installation


7



Installation

Applies to all models

Volvo Car Corporation Gothenburg, Sweden



Applies to cars without subwoofer


Install the satellite unit with bracket on the reverse of the rear backrest.

Install the screw and torque tighten to 10 Nm (7.5 lbf.ft.)

Connect pre-routed cables to the unit:

power supply, antenna cable and fibre optic cable.

These are located under the floor carpet in the connection for the location of the unit.



Steps 9-14 apply to cars with subwoofer

Install the satellite unit with bracket on the reverse of the rear backrest.


Install the screw and torque tighten to 10 Nm (7.5 lbf.ft.)


Connect pre-routed cables to the unit:

power supply and antenna cable.


These are located under the floor carpet in the connection for the location of the unit. The new fibre optic adapter cable is connected later.


Volvo Car Corporation Gothenburg, Sweden





Volvo Car Corporation Gothenburg, Sweden







Take the fibre optic adapter cable (1) from the kit and connect both the male connectors to the Subwoofer, respectively, Sirius unit.

Connect the male connector (2), which was previously disconnected from the Subwoofer, to the female connector (3) in the fibre optic adapter cable.

Connect the remaining power supply cable to the Subwoofer. Ensure that all cables are positioned to prevent them from being cut off.

Volvo Car Corporation Gothenburg, Sweden






Applies to all models

Volvo Car Corporation Gothenburg, Sweden





Download software for the accessory's function according to service information in VIDA. (See VIDA or accessories catalogue for article number on software).