

Volvo Car Corporation Gothenburg, Sweden


Instruction No 31254629 Version 1.0 Part. No.

Combined instrument panel, R-design





Volvo Car Corporation Gothenburg, Sweden



IMG-276927

Volvo Car Corporation Gothenburg, Sweden

Any comments on this publication? Please contact your nearest retailer. Thank You!		
Publ.no:	Issue:	Kit no:
Comments:		
_		
From:		
Address:		
Telephone:		
Telefax:		

IMG-213320

Volvo Car Corporation Gothenburg, Sweden

Combined instrument panel, R-design

1




Turn the ignition switch to position 0.

Note!

Wait at least three minutes before unplugging the connectors or removing other electrical equipment.

IMG-245980



Adjust the steering wheel to the outermost and lowermost position.

Remove the two screws at the upper edge of the surround for the combined instrument panel.

Remove the surround.

Volvo Car Corporation Gothenburg, Sweden

IMG-276929

Remove the two screws at the sides of the instrument panel.


Raise it slightly and unhook it from the holder on the inside of the instrument panel.

Lift the instrument panel out and disconnect the connector.

Note!

Do not damage the instrument panel. The glass is easily scratched.

Place the instrument panel to one side.




Take the new instrument panel and connect the connector.

Insert it in position and hook it onto the holder on the inside.


Tighten using the two screws.

Volvo Car Corporation Gothenburg, Sweden





6



Download software for the relevant vehicle type in accordance with the service information in VIDA.