Volvo Car Corporation Gothenburg, Sweden

Instruction No 30633784

Version 1.1 Part. No. 30633783

Skibag (interior)

Any comments on this publication? Please contact your nearest retailer. Thank You!			
Publ.no:	Issue:	Kit no:	
Comments:			
From:			
Address:			
Telephone:			
Telefax:			

IMG-213320

Volvo Car Corporation Gothenburg, Sweden

INTRODUCTION


Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.



Work from inside the car. Remove the centre section of the backrest by pulling the opening handle, then pull straight up so that it detaches from the lower bracket.




Detach the retaining strap for the puncture repair kit's compressor if fitted. Remove the compressor.

© Volvo Car Corporation

Skibag (interior)- 30633784 - V1.1


Volvo Car Corporation Gothenburg, Sweden

3



Open the boot lid/tailgate.


4




Lift up the cargo compartment partition.

IMG-221661

Volvo Car Corporation Gothenburg, Sweden




Squeeze the lock together on the hatch next to the passenger compartment and open the hatch.




Insert the ski bag in the opening.

Volvo Car Corporation Gothenburg, Sweden




Press at the points indicated until a click is heard that confirms attachment into the frame.



Open the catches on the straps.


Volvo Car Corporation Gothenburg, Sweden

9



Pull the ski bag to its full length.

10



Secure the ski bag's spring hook into the bracket.