

Volvo Car Corporation Gothenburg, Sweden

Instruction No 31659429 Version 1.0 Part. No.


32345267, 32261696, 31393076, 31659286, 32288588

Child seat, mounting eyelets





Volvo Car Corporation Gothenburg, Sweden



IMG-434437

Volvo Car Corporation Gothenburg, Sweden


Read through all of the instructions before starting installation. Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation. Ensure that all tools stated in the instructions are available before starting installation. Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated

accessory, contact your local Volvo dealer.

Color symbols

2

1



Note!

This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

In the event of any problems with the instructions or the

- Used for focused component, the component with which you will do something.
- 2. Used as extra colors when you need to show or differentiate additional parts.
- Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4. Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6. Used as background color for vehicle components.

Removal

© Volvo Car Corporation


IMG-363036

Volvo Car Corporation Gothenburg, Sweden

IMG-431485


Remove the panel.

Disconnect the connector.




Remove the panel.

Volvo Car Corporation Gothenburg, Sweden




Remove the panel.




Fold the carpet aside.

Volvo Car Corporation Gothenburg, Sweden



Fold the insulation aside.

Accessory installation




Install component that comes with the accessory kit.

Volvo Car Corporation Gothenburg, Sweden

9


Refit the insulation.




IMG-434460

10

Fold the insulation aside.




Volvo Car Corporation Gothenburg, Sweden



Install the marked component.

Tightening torque: Child seat mounting eyelet, outer, 7 Nm


Removal



Fold the carpet aside.


Volvo Car Corporation Gothenburg, Sweden

IMG-434429



Remove the screw.

Accessory installation



Install component that comes with the accessory kit.

Tighten the screw.

Tightening torque: Child seat mounting eyelet, inner, 8 Nm

Installation

Reinstall the removed parts in reverse order.

15