Volvo Car Corporation Gothenburg, Sweden

Instruction No 32310541

Version 1.0

Part. No. 32149839, 32149829

Load organiser, load compartment, dog gate



IMG-473439

Volvo Car Corporation Gothenburg, Sweden



IMG-473382

Information

1

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

Color symbols

2



Note!

This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

- Used for focused component, the component with which you will do something.
- Used as extra colors when you need to show or differentiate additional parts.
- Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4. Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6. Used as background color for vehicle components.
- 7. Used for accessory components.

IMG-400010

Volvo Car Corporation Gothenburg, Sweden


3



Note!
This instruction shows installation of dog gate on the left side.
Use the instruction for the right side as well.

IMG-400004


Accessory installation



Volvo Car Corporation Gothenburg, Sweden

IMG-473427

Use details according to image.




Remove the nut.

Remove the marked part.


Volvo Car Corporation Gothenburg, Sweden

7

Adjust the position of the component according to image.



IMG-473429




Note!


Do not fully tighten the bolt.

Install the marked components.

Volvo Car Corporation Gothenburg, Sweden



Loosen the nuts.




Caution!
Be extra careful when removing or installing this component.

Volvo Car Corporation Gothenburg, Sweden

IMG-473623


11

Caution!
Make sure not to damage painted surfaces.




Note!
Do not fully tighten the nuts yet.


Volvo Car Corporation Gothenburg, Sweden








Volvo Car Corporation Gothenburg, Sweden




Loosen the nut.

Place the component where indicated in the graphic.



Place the component where indicated in the graphic. Install the hook.


Volvo Car Corporation Gothenburg, Sweden



Caution!
Make sure that the component is positioned correctly.

Tighten the nuts.

Use hands only.



Note!

Make sure to follow the sequence indicated.

Tighten the nuts.

Use hands only.