

Volvo Car Corporation Gothenburg, Sweden


Instruction No 31470356 Version 1.3 Part. No. 32270870

# Digital radio, DAB





Volvo Car Corporation Gothenburg, Sweden



© Volvo Car Corporation

Volvo Car Corporation Gothenburg, Sweden

#### Information

1

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

#### Color symbols

2



Note!

This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

- Used for focused component, the component with which you will do something.
- Used as extra colors when you need to show or differentiate additional parts.
- Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4. Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6. Used as background color for vehicle components.

IMG-363036

3

Set the ignition key to position 0.



IMG-332193

Volvo Car Corporation Gothenburg, Sweden

#### Removal






IMG-395390






IIVIG-395396

Volvo Car Corporation Gothenburg, Sweden



Remove the marked part.




© Volvo Car Corporation

Volvo Car Corporation Gothenburg, Sweden



#### Vehicles with subwoofer speaker




Disconnect the connector.

Volvo Car Corporation Gothenburg, Sweden

IMG-395147

Remove the nuts.

Remove the screws.




Remove the marked part.

**Accessory installation** 

Volvo Car Corporation Gothenburg, Sweden


12

Install component that comes with the accessory kit.



IMG-394788


13




Install component that comes with the accessory kit.

Install the screws.

Volvo Car Corporation Gothenburg, Sweden




IMG-342320



Tighten the screw.


Tightening torque: M6 , 10 Nm

Volvo Car Corporation Gothenburg, Sweden



Install component that comes with the accessory kit.

Fasten the wiring harness using the existing clips.



Locate the pre-routed connectors.

Connect the connectors.

Vehicles with subwoofer speaker

Volvo Car Corporation Gothenburg, Sweden

18

IMG-395152

IMG-395153


Reinstall the removed parts in reverse order.

Reinstall the screws.

Tightening torque: M6 , 10 Nm


Install the nuts

Volvo Car Corporation Gothenburg, Sweden




Connect the connector.

#### All vehicles



Volvo Car Corporation Gothenburg, Sweden





IMG-395760

Volvo Car Corporation Gothenburg, Sweden

IMG-242268

24 D

Note!
First, download the software for preparatory installation according to the accessory catalogue. Then do the download/reload of software for the accessory function.

#### Note!

When doing an aftermarket installation of DAB or DAB+, it is necessary to carry out a DAB application download.

#### Note!

When upgrading from DAB to DAB+, a DAB re-load is necessary.

Carry out a download, or a re-load, of accessory function software by following VIDA service information.