
Volvo Car Corporation Gothenburg, Sweden

Instruction No 31428238 Version 1.0 Part. No.

31470140, 31470139, 31373487, 31428767

Load organiser, load compartment, dog gate



IMG-384379

Volvo Car Corporation Gothenburg, Sweden

Information

1

Read through all of the instructions before starting installation.

Notifications and warning texts are for your safety and to minimise the risk of something breaking during installation.


Ensure that all tools stated in the instructions are available before starting installation.

Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.

In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

Color symbols

2



Note!

This colour chart displays (in colour print and electronic version) the importance of the different colours used in the images of the method steps.

- Used for focused component, the component with which you will do something.
- Used as extra colors when you need to show or differentiate additional parts.
- Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
- 4. Used when the component is not fully removed from the vehicle but only hung to the side.
- 5. Used for standard tools and special tools.
- 6. Used as background color for vehicle components.

Preparation

© Volvo Car Corporation


IMG-363036

Volvo Car Corporation Gothenburg, Sweden

3




IMG-383819



Accessory installation

Volvo Car Corporation Gothenburg, Sweden

5



Note!
If load compartment divider is installed, remove it temporarily.

6

IMG-384381


IMG-384382



Install component that comes with the accessory kit.


Place the component where indicated in the graphic.

Volvo Car Corporation Gothenburg, Sweden



Install the nut.

Tighten the nut.



Install the clip(s).

Volvo Car Corporation Gothenburg, Sweden

9 IMG-384385

Note!Adjust the component indicated until no clearance or play is evident.